


This article was downloaded by:[University of North Carolina Greensboro]  
On: 9 September 2007  
Access Details: [subscription number 768409757]  
Publisher: Informa Healthcare  
Informa Ltd Registered in England and Wales Registered Number: 1072954  
Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



## Issues in Mental Health Nursing

Publication details, including instructions for authors and subscription information:  
<http://www.informaworld.com/smpp/title~content=t713669522>

### PSYCHIATRIC CLINICAL NURSE SPECIALISTS, NURSE PRACTITIONERS, OR THE NEW PRACTICE DOCTORATE: MEETING PATIENTS' NEEDS?

Online Publication Date: 01 August 2007

To cite this Article: Hogan, Beverly K. and Shattell, Mona M. (2007) 'PSYCHIATRIC CLINICAL NURSE SPECIALISTS, NURSE PRACTITIONERS, OR THE NEW PRACTICE DOCTORATE: MEETING PATIENTS' NEEDS?', *Issues in Mental Health Nursing*, 28:8, 927 - 930

To link to this article: DOI: 10.1080/01612840701493345

URL: <http://dx.doi.org/10.1080/01612840701493345>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article maybe used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

© Taylor and Francis 2007

## COMMENTS, CRITIQUE, AND INSPIRATION

### **PSYCHIATRIC CLINICAL NURSE SPECIALISTS, NURSE PRACTITIONERS, OR THE NEW PRACTICE DOCTORATE: MEETING PATIENTS' NEEDS?**

---

*Beverly K. Hogan, APRN, BC*  
*Mona M. Shattell, PhD, RN*

---

Psychiatric clinical nurse specialists (CNSs) were first introduced in 1954 by Hildegard Peplau as valuable contributors to the care of the chronically mentally ill (Spray, 1999; Wheeler, 2004). Peplau demonstrated that the therapeutic nurse-patient relationship shaped treatment outcomes. Then, during the years following mental health reform and deinstitutionalization, a golden opportunity arose for psychiatric CNSs to further their contribution in the community care of these patients.

Community mental health center patients frequently present with problems beyond the competence of baccalaureate prepared case managers and other non-medical psychotherapists. As complex illnesses including substance use and comorbid medical problems have become more common among patients in community mental health centers, the need for qualified professionals has grown. Psychiatric CNSs are excellent for working with patients with complex medical and psychiatric problems (Miller & Martinez, 2003). Now many psychiatric CNSs in community mental health care have been relegated to managing medication clinics and fielding crises for psychiatrists. Yet, most psychotherapy positions in community mental health centers are occupied by social workers and licensed professional counselors. Psychiatric CNSs have therefore found private psychotherapy practices, or faculty or administrative positions more attractive. Further, some community agencies have cut psychiatric CNS positions, leaving large gaps in the appropriate care of psychiatric patients in the community.

This gap has been partially filled by adult and family nurse practitioners (NPs) who manage patients' medical problems. Sometimes, adult and family NPs also assume responsibility for patients' psychiatric conditions, providing care patients might not otherwise receive—including

patients with anxiety disorders and depressive illnesses who are turned away from overtaxed mental health centers because they do not meet criteria for a “serious” mental illness. Family and adult NPs thus have responded to a need that others did not address.

As graduate education in psychiatric mental health nursing has aligned core courses with NP preparation (Cotroneo, Kurlowicz, Outlaw, Burgess, & Evans, 2001), concerns about overlapping roles between NP specialties and psychiatric CNS have emerged (Holmes, 2006; Moller & Haber, 1996). Some psychiatric NPs focus on providing medications, while others focus on psychotherapy. There is wide variation in addressing psychiatric patients’ comorbid and iatrogenic medical conditions. Some psychiatric NPs solely treat psychiatric symptoms and refer medical problems elsewhere. Others address both medical and psychiatric symptoms simultaneously, because problems and treatments can interact and affect one another.

Now, as advanced practice psychiatric nurses, we have been given another chance to help manage the unmet medical needs of this population. Psychiatric CNSs have long been warned of the potential for role confusion, ambiguity, and even the disappearance of their specialty (Chevalier, Steinberg, & Lindeke, 2006; Holmes, 2006; Lauder, Meehan, & Moxham, 2004; McCabe & Burman, 2006; Olson, 2004). Currently, we have the Advanced Practice CNS and the Advanced Practice Psychiatric NP. Core competencies for the entry level psychiatric NP have been established (National Panel for Psychiatric Mental Health NP Competencies, 2003), yet the degree to which either of the advanced practice groups will address coexisting medical problems of psychiatric patients is unclear. This will greatly impact the care of psychiatric patients. We know, for instance that psychiatric patients have a shorter life expectancy and are more prone than others to cardiac and metabolic abnormalities (McDermott et al., 2005). It is difficult for medically trained practitioners to decipher the complexities of communication presented by psychiatric patients with a disturbance of thought and communication processes; thus it makes sense that a practitioner with the interpersonal skills and knowledge to respond to this type of patient should also be the one to be concerned with coexisting medical needs (Lambert, Velakoulis, & Pantelis, 2003; Miller & Martinez, 2003).

Although psychiatric NPs have documented equal or superior effectiveness to their psychiatrist counterparts, consumer satisfaction has been described in vague terms like “better relationships,” “more down to earth,” and “more holistic” (Elsom, Happell, & Manias, 2005; Wortans, Happell, & Johnson, 2006). These characteristics cannot be claimed as unique to nursing. Psychiatric NPs must articulate their unique *nursing*

practice beyond basic psychiatric medication management and good relationship skills.

The new Doctor of Nursing Practice further complicates matters. With the intent to make the DNP the new credential for nurse practitioners, there is the potential for greater role confusion. Will the new DNP be better prepared for complex psychiatric and medical comorbidities, or are we just confounding the issue?

Have advanced practice psychiatric nurses' roles advanced the well-being of patients? Advanced practice psychiatric nurses—whether CNS, NP, or the new DNP— have a responsibility, in our opinion, to maintain a knowledge base that incorporates both basic medical and psychiatric needs. The time is long past when we can afford to attend only to the presenting psychiatric illness. With the move toward holism, we can greatly impact the quality of life of the psychiatric patients in our care. Advanced practice psychiatric nurses must not compartmentalize specialist functions; we must integrate them and provide competent, coordinated health care for our psychiatric mental health consumers.

## REFERENCES

- Chevalier, C., Steinberg, S., & Lindeke, L. (2006). Perceptions of barriers to psychiatric-mental health CNS practice. *Issues in Mental Health Nursing, 27*, 753–763.
- Cotroneo, M., Kurlowicz, L., Outlaw, F., Burgess, A., & Evans, L. (2001). Psychiatric-mental health nursing at the interface: Revisioning education for the specialty. *Issues in Mental Health Nursing, 22*, 549–569.
- Elsom, S., Happell, B., & Manias, E. (2005). Mental health nurse practitioner: Expanded or advanced? *International Journal of Mental Health Nursing, 14*, 181–186.
- Holmes, C. A. (2006). The slow death of psychiatric nursing: What next? *Journal of Psychiatric and Mental Health Nursing, 13*(4), 401–415.
- Lambert, Velakoulis, D., & Pantelis, C. (2003). Medical comorbidity in schizophrenia. *The Medical Journal of Australia, 178*(9, Suppl 5), S67–S70.
- Lauder, W., Meehan, T., & Moxham, L. (2004). Changing face of mental health nursing. *Journal of Psychiatric and Mental Health Nursing, 11*(1), 1–2.
- McCabe, S., & Burman, M. E. (2006). A tale of two APNs: Addressing blurred practice boundaries in APN practice. *Perspectives in Psychiatric Care, 42*(1), 3–12.
- McDermott, S., Moran, R., Platt, T., Isaac, T., Wood, H., & Dasari, S. (2005). Heart disease, schizophrenia, and affective psychoses: Epidemiology of risk in primary care. *Community Mental Health Journal, 41*(6), 747–755.
- Miller, C., & Martinez, R. (2003). Shifting physical health care responsibilities at a community mental health center. *Issues in Mental Health Nursing, 24*, 441–456.
- Moller, M., & Haber, J. (1996). Advanced practice psychiatric nursing: The need for a blended role. *Online Journal of Issues in Nursing*. Retrieved January 19, 2007, from <http://www.nursingworld.org/ojin/tpc1/tpc1-7htm>

- National Panel for Psychiatric Mental Health NP Competencies. (2003). *Psychiatric-mental health nurse practitioner competencies*. Washington, DC: National Organization of Nurse Practitioner Faculties.
- Olson, T. (2004). Spasm or transformation? Advanced psychiatric nursing education in the United States. *International Journal of Psychiatric Nursing Research*, *10*(1), 1152–1163.
- Puskar, K. (1996). The nurse practitioner role in psychiatric nursing: Expanding advanced practice through the NP role. *Online Journal of Issues in Nursing*. Retrieved January 19, 2007, from <http://www.nursingworld.org/ojin/tpc1/tpc1-2htm>
- Spray, L. (1999). The evolution of the psychiatric clinical nurse specialist: An interview with Hildegard Peplau. *Perspectives in Psychiatric Care*, *35*(3), 27–37.
- Wheeler, K. (2004). Development of psychiatric-mental health practitioner competencies: Opportunities for the 21st century. *Journal of the American Psychiatric Nurses Association*, *10*(3), 129–138.
- Wortans, J., Happell, B., & Johnstone, H. (2006). The role of the nurse practitioner in psychiatric mental health nursing. *Journal of Psychiatric and Mental Health Nursing*, *13*, 78–84.